



Conforms to Regulation (EC) No. 1907/2006 - United Kingdom (UK)

SAFETY DATA SHEET

JET-LUBE EZY TURN 196

Product classified as non-hazardous according to NOHSC classification

1. Identification of the substance/preparation and of the company/undertaking

Identification of the substance or preparation

Product Name: JET-LUBE EZY TURN 196

Use of the substance/preparation: Valve lubricant and sealant

Company/undertaking identification

Manufacturer:

Jet-Lube, Inc.
4849 Homestead Rd., Suite 232
Houston, TX 77028

Email: doldiges@jetlube.com USA Corporate phone: (713) 670-5700

Australian Contact:

Xtex Pty. Ltd
ABN 40 121 722 236

80 Daly Street
Ascot, WA 6104 1300-00-9839 phone 0437-272-490 mobile

Emergency telephone numbers:

NHS DIRECT in the UK USA: CHEMTREC: (800) 424-9300

Emergency number: 08454647 Outside US (Chemtrec): (703) 527-3887

2. Hazards identification

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification: Not classified

Physical/chemical hazards: Not applicable

Human health hazards: Not applicable

Environmental hazards: Not applicable

See section 11 for more detailed information on health effects and symptoms.

3. Composition /information on ingredients

<u>Substance/preparation:</u>	<u>Preparation</u>			
<u>Ingredient name</u>	<u>CAS Number</u>	<u>EC Number</u>	<u>%</u>	<u>Classification</u>
Castor oil, oxidized	68187-84-8	269-128-4	70 - 75	Not classified
Mica	12001-26-2	310-127-6	25 - 30	Not classified
Silicone dioxide	7631-86-9	231-545-4	5 - 10	Not classified
Silane, dichlorodimethyl-, rxn products with silica	68611-44-9	271-893-4	2-5	Not classified
Poly(p-phenylenediamine terephthalamide)	26125-61-1	Polymer	0-1	Not classified
Glycerin	56-81-5	200-289-5	1 - 1.5	Not classified
The Oils and additives do not require carcinogenic listing.				
See section 16 for the full test of the R Phrases declared above.				

* Occupational Exposure Limit(s), if available, are listed in Section 8

The quantities of potential carcinogenic compounds detected in the oil are below the regulatory levels beyond which listing as carcinogenic material is required.

4. First aid measures

Effects and symptoms

Inhalation: No known significant effects or critical hazards.

Ingestion: No known significant effects or critical hazards.

Skin Contact: No known significant effects or critical hazards.

Eye contact: No known significant effects or critical hazards.

First aid measures

Inhalation: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Obtain medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion: Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Obtain medical attention if symptoms occur. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen thigh clothing such as a collar, tie, belt or waistband.

JET-LUBE EZY TURN 196

Skin contact:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Obtain medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact:	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

Extinguishing media:	Use an extinguishing agent suitable for the surrounding fire.
Special exposures hazards:	No specific hazard.
Hazardous thermal decomposition products:	These products are carbon oxides (CO, CO ₂), sulphur oxides (SO ₂ , SO ₃ , etc.), nitrogen oxides (NO ₂ , NO ₃ , etc.) some metallic or mineral oxides and halogenated gases which may be toxic or corrosive.

Special protective equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
--	---

6. Accidental release measures

Personal precautions:	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
Environmental precautions:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up:	If emergency personnel are unavailable, contain spilt material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dyke spilt material or otherwise contain material to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

7. Handling and storage

Handling:	Wash thoroughly after handling.
Storage:	Keep container tightly closed. Keep container in a cool, well-ventilated area.
Packaging materials	
Recommended:	Use original container.
Specific uses:	Not available.

8. Exposure controls/personal protection

<u>Ingredient Name:</u>	<u>Occupational exposure limits</u>
potassium aluminum silicates	EH40-WEL (United Kingdom (UK), 9/2006) TWA: 10 mg/m ³ 65534 times per shift, 8 hour/hours. Form: Inhalable fraction TWA: 0,8 mg/m ³ 65534 times per shift, 8 hour/hours. Form: Respirable fraction
Silicon dioxide	TLV (United States (US)) TWA: 10 mg/m ³ 8 hour/hours. Form: Inhalable fraction TWA: 5 mg/m ³ 8 hour/hours. Form: Respirable fraction
Silane, dichlorodimethyl-, rxn products with silica	TLV (United States (US)) TWA: 10 mg/m ³ 8 hour/hours. Form: Inhalable fraction

Poly(p-phenylenediamine terephthalamide)	No Data
--	----------------

Exposure controls	
Occupational exposure controls:	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory protection:	No respiratory equipment is required for normal use. In the case of extreme temperatures, a dry residue will result when the grease & oils burn off. Where workers may be exposed to the dust during removal of the film use of air-purifying respirators or dust masks is suggested.
Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

9. Physical and chemical properties

Physical state:	Solid, slightly fibery (paste)
Color:	Beige
Odor:	Seed oil smell (slight)
pH:	Neutral
Boiling point:	Not available
Melting point:	>204°C (399.2°F)
Flash point:	Open cup: 221°C (429.8°F)
Flammability (solid, gas):	Not applicable
Explosive properties:	Not applicable
Explosive limits:	Lower: 0.9% Upper: 7%
Oxidizing properties:	Not available

JET-LUBE EZY TURN 196

Vapor pressure:	<0.01 kPa (<0.08 mm Hg) (at 20°C)
Specific gravity:	Not available
Density:	1.18 g/cm ³
Solubility:	Insoluble in cold water, hot water
Octanol/water partition coefficient:	Not available
Viscosity:	Not available
Vapor density:	>5 (Air = 1)
Evaporation rate (butyl acetate = 1):	<0.01 compared with Butyl acetate
Auto-ignition temperature:	>260°C (500°F)

10. Stability and reactivity

Stability:	The product is stable
Conditions to avoid:	Keep away from sources of ignition. Keep away from heat.
Materials to avoid:	Not available
Hazardous Decomposition products:	Some metallic oxides.
Hazardous polymerization:	Not available

11. Toxicological information

Potential acute health effects

Inhalation:	No known significant effects or critical hazards.
Ingestion:	No known significant effects or critical hazards.
Skin contact:	No known significant effects or critical hazards.
Eye contact:	No known significant effects or critical hazards.

Acute toxicity

Ingredient name

Castor oil TDI reaction product

Test	Result	Route	Species
	Castor oil, oxidized is vegetable-based because it's made from Castor plant (<i>ricinus communis</i>) seeds. It biodegrades quickly and is non-toxic, castor oil is classified by Food and Drug Administration (FDA) as generally recognized as safe and effective for use as a stimulant laxative. The Joint Food and Agriculture Organization (FAO)/World Health Organization (WHO) Expert Committee on Food Additives established an acceptable daily castor oil intake (for man) of 0 to 0.7 mg/kg body weight. Castor oil is hydrolyzed in the small intestine by pancreatic enzymes, leading to the release of glycerol and Ricinoleic Acid, although 3,6-epoxyoctanedioic acid, 3,6-epoxydecanedioic acid, and 3,6-epoxydodecanedioic acid also appear to be metabolites.		

Potential chronic health effects

Carcinogenicity:	No known significant effects or critical hazards.
Mutagenicity:	No known significant effects or critical hazards.
Reproductive toxicity:	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation:	No known significant effects or critical hazards as high viscosity makes inhalation unlikely.
Ingestion:	No known significant effects or critical hazards as grease results in gastric distress negating bioaccumulation concerns.
Skin:	No known significant effects or critical hazards.
Target organs:	No known significant effects or critical hazards.
Other adverse effects:	Not available

12. Ecological information

Ecotoxicity data

Ingredient name

Ingredient name	Species	Period	Result
Silicon dioxide	Daphnia magna (EC50)	24 hr/hrs	>10000 mg/l
Silane, dichlorodimethyl-, rxn products with silica	Daphnia magna (EC50)	24 hr/hrs	>10000 mg/l
	Brachydanio rerio	96 hr/hrs	>10000 mg/l

Other ecological information

Mobility:	Not available
Other adverse effects:	No known significant effects or critical hazards.

13. Disposal consideration

Methods of disposal:

The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Hazardous waste:

Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

14. Transport information

Hazchem code 1Z

International transport regulations

Regulatory information	UN Number	Proper shipping name	Class	Packing group	Label	Additional information
US Dept. of Transportation	Not regulated	-	-	-	-	-
ADR/RID Class	Not regulated	-	-	-	-	-
ADNR Class	Not regulated	-	-	-	-	-
IMDG Class	Not regulated	-	-	-	-	-


JET-LUBE EZY TURN 196

IATA-DGR Class	Not regulated	-	-	-	-	-
Canada - TDG	Not regulated	-	-	-	-	-
Australia ADG Code	Not regulated	-	-	-	-	-

15. Regulatory information

Poison Schedule	Not scheduled
EU Regulations	
Risk Phrases:	This product is not classified according to EU legislation.
Safety Phrases:	S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.
Product use:	Classification and labeling have been performed according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and the intended use. Industrial applications.
Other EU regulations	
Additional warning phrases:	Safety data sheet available for professional user on request.
Restrictions on the marketing and use directive:	Not applicable.
National regulations United Kingdom (UK)	
COSHH:	The use of this chemical product must be in compliance with provisions included in COSHH (1999) and COSHH Essentials (1999).
US Regulations:	TSCA: All components are listed. (See Section 3). TSCA 12B Components: None
SARA 313 (40 CFR Part 372):	None above reportable limits
SARA 311/312:	None
CERCLA RQ: N/A	OZONE DEPLETING CHEMICALS: None
TSCA REGULATORY: This material or its components are listed in the TSCA inventory.	
RCRA Hazard class: N/A	
Clean Air Act Sect 112 Hazardous Air Pollutants (HAPs): None	Volatile Organic Chemicals (VOCs): Nil
Canadian Regulations:	DSL: All components are listed. (See Section 3)
WHMIS: CLASS B-2: Not regulated	
RoHs Compliance	This product is compliant with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003. This product does not contain any of the restricted substances as listed in Article 4(1) of the RoHS Directive.

16. Other information

History	
Date of printing:	January 29, 2010
Date of issue:	January 29, 2010
Date of previous issue:	No previous validation
Version:	1
Prepared by:	
Name & Title	Donald Oldiges, VP of Research & Development
Notice to reader:	

All practical steps have been taken to ensure this data sheet and the health, safety and environmental information contained in this document is accurate as of the date specified above. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet. You should not use the product other than for the stated application or applications without seeking advice from us. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations in the country of use. Jet-Lube is not responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use have the duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. If this material is printed, circulated, distributed or copied in any manner, it is no to be modified without prior written permission, and further, it is to include the wording of the above disclaimer.