



Conforms to Regulation (EC) No. 1907/2006 - United Kingdom (UK)

SAFETY DATA SHEET

JET-LUBE NCS-30 ECF

Product classified as non-hazardous according to NOHSC classification

1. Identification of the substance/preparation and of the company/undertaking

<u>Identification of the substance or preparation</u>			
Product Name:	JET-LUBE NCS-30 ECF		
Use of the substance/preparation:	Thread lubricant and sealant		
<u>Company/undertaking identification</u>			
Manufacturer:	Jet-Lube, Inc. 4849 Homestead Rd., Suite 232 Houston, TX 77028 Email: doldiges@jetlube.com		
	USA Corporate phone:	(713) 670-5700	
Australian Contact:	Xtex Pty. Ltd ABN 40 121 722 236 80 Daly Street Ascot, WA 6104		
	1300-00-9839 phone	0437-272-490 mobile	
Emergency telephone numbers:	NHS DIRECT in the UK	USA: CHEMTREC:	(800) 424-9300
	Emergency number: 08454647	Outside US (Chemtrec):	(703) 527-3887

2. Hazards identification

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification: Not classified
Physical/chemical hazards: Not applicable
Human health hazards: Not applicable
Environmental hazards: Not applicable

See section 11 for more detailed information on health effects and symptoms.

3. Composition /information on ingredients

<u>Substance/preparation:</u> Preparation				
Ingredient name	CAS Number	%	EC Number	Classification
Lubricating grease (synthetic base)	Mixture	60 - 70	Mixture	Not classified
Calcium fluoride	7789-75-5	25 - 35	232-188-7	Not classified
talc, not containing asbestiform fibers	14807-96-6	5 - 10	238-877-9	Not classified
titanium dioxide	13463-67-7	1 - 10	236-675-5	Not classified
pulp, cellulose	65996-61-4	0 - 2.5	265-995-8	Not classified
The Petroleum Oils and additives do not require carcinogenic listing.				
See section 16 for the full test of the R Phrases declared above.				

* Occupational Exposure Limit(s), if available, are listed in Section 8
 The quantities of potential carcinogenic compounds detected in the oil are below the regulatory levels beyond which listing as carcinogenic material is required.

4. First aid measures

<u>Effects and symptoms</u>	
Inhalation:	No known significant effects or critical hazards.
Ingestion:	No known significant effects or critical hazards.
Skin Contact:	No known significant effects or critical hazards.
Eye contact:	No known significant effects or critical hazards.
<u>First aid measures</u>	
Inhalation:	Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Obtain medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

JET-LUBE NCS-30 ECF

Ingestion:

Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Obtain medical attention if symptoms occur. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen thigh clothing such as a collar, tie, belt or waistband.

Skin contact:

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Obtain medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye contact:

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

Extinguishing media:

Use an extinguishing agent suitable for the surrounding fire.

Special exposures hazards:

No specific hazard.

Hazardous thermal

Some metallic oxides.

decomposition products:

Special protective equipment for fire-fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions:

Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.

Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up:

If emergency personnel are unavailable, contain spilt material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dyke spilt material or otherwise contain material to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

7. Handling and storage

Handling:

Wash thoroughly after handling.

Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area.

Packaging materials

Recommended:

Use original container.

Specific uses:

Not available.

8. Exposure controls/personal protection

Ingredient Name:

calcium fluoride

Occupational exposure limits

EH40-WEL (United Kingdom (UK), 9/2006). Notes: As F

TWA: 2,5 mg/m³ 65534 times per shift, 8 hour/hours.

talc, not containing asbestiform fibers

EH40-WEL (United Kingdom (UK), 9/2006)

TWA: 1 mg/m³ 65534 times per shift, 8 hour/hours. Form: Respirable fraction

titanium dioxide

EH40-WEL (United Kingdom (UK), 9/2006)

TWA: 10 mg/m³ 65534 times per shift, 8 hour/hours. Form: Inhalable fraction

TWA: 4 mg/m³ 65534 times per shift, 8 hour/hours. Form: Respirable fraction

Exposure controls

Occupational exposure controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection:

No respiratory equipment is required for normal use. In the case of extreme temperatures, a dry residue will result when the grease & oils burn off. Where workers may be exposed to the dust during removal of the film use of air-purifying respirators or dust masks is suggested.

Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eye protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

9. Physical and chemical properties

Physical state:

Solid (paste)

Color:

Beige

Odor:

Rapeseed oil smell (slight)

pH:

Neutral

Boiling point:

Not available

JET-LUBE NCS-30 ECF

Melting point:	>204°C (399.2°F)
Flash point:	Open cup: 221°C (429.8°F)
Flammability (solid, gas):	Not applicable
Explosive properties:	Not applicable
Explosive limits:	Lower: 0.9% Upper: 7%
Oxidizing properties:	Not available
Vapor pressure:	<0.01 kPa (<0.08 mm Hg) (at 20°C)
Specific gravity:	Not available
Density:	1.26 g/cm ³
Solubility:	Insoluble in cold water, hot water
Octanol/water partition coefficient:	Not available
Viscosity:	Not available
Vapor density:	>5 (Air = 1)
Evaporation rate (butyl acetate = 1):	<0.01 compared with Butyl acetate
Auto-ignition temperature:	>260°C (500°F)

10. Stability and reactivity

Stability:	The product is stable
Conditions to avoid:	Keep away from sources of ignition. Keep away from heat.
Materials to avoid:	Not available
Hazardous Decomposition products:	Some metallic oxides.
Hazardous polymerization:	Not available

11. Toxicological information

Potential acute health effects

Inhalation:	No known significant effects or critical hazards.
Ingestion:	No known significant effects or critical hazards.
Skin contact:	No known significant effects or critical hazards.
Eye contact:	No known significant effects or critical hazards.

Acute toxicity

Ingredient name	Test	Result	Route	Species
calcium fluoride	LD50	4250 mg/kg	Oral	Rat
	LD50	4417 mg/kg	Oral	Rat
titanium dioxide	LD50	10000 mg/kg	Oral	Rat

Potential chronic health effects

Carcinogenicity:	No known significant effects or critical hazards.
Mutagenicity:	No known significant effects or critical hazards.
Reproductive toxicity:	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation:	No known significant effects or critical hazards as high viscosity makes inhalation unlikely.
Ingestion:	No known significant effects or critical hazards as grease results in gastric distress negating bioaccumulation concerns.
Skin:	No known significant effects or critical hazards.
Target organs:	No known significant effects or critical hazards.
Other adverse effects:	Not available

12. Ecological information

Ecotoxicity data

Ingredient name	Species	Period	Result
calcium fluoride	Fish (LC50)	96 hr/hrs	>1800 mg/l
	Algae (EC50)	72 hr/hrs	>1000 mg/l
calcium fluoride	Corophium volutator (LC50)	10 days	>12075 mg/kg
titanium dioxide	Daphnia magna (EC50)	48 hr/hrs	>1000 mg/l
	Fundulus heteroclitus (LC50)	96 hr/hrs	>1000 mg/l

Other ecological information

Mobility:	Not available
Other adverse effects:	No known significant effects or critical hazards.

13. Disposal consideration

Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Hazardous waste:	Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
------------------	---

14. Transport information

Hazchem code 1Z

International transport regulations

Regulatory information	UN Number	Proper shipping name	Class	Packing group	Label	Additional information
US Dept. of Transportation	Not regulated	-	-	-	-	-


JET-LUBE NCS-30 ECF

ADR/RID Class	Not regulated	-	-	-	-	-
ADNR Class	Not regulated	-	-	-	-	-
IMDG Class	Not regulated	-	-	-	-	-
IATA-DGR Class	Not regulated	-	-	-	-	-
Canada - TDG	Not regulated	-	-	-	-	-
Australia ADG Code	Not regulated	-	-	-	-	Reference SP-AU01

15. Regulatory information

Poison Schedule	Not scheduled		
EU Regulations	This product is not classified according to EU legislation.		
Risk Phrases:	S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.		
Safety Phrases:	Classification and labeling have been performed according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and the intended use. Industrial applications.		
Product use:	Classification and labeling have been performed according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and the intended use. Industrial applications.		
Other EU regulations			
Additional warning phrases:	Safety data sheet available for professional user on request.		
Restrictions on the marketing and use directive:	Not applicable.		
National regulations United Kingdom (UK)			
COSHH:	The use of this chemical product must be in compliance with provisions included in COSHH (1999) and COSHH Essentials (1999).		
US Regulations:	TSCA: All components are listed. (See Section 3).	TSCA 12B Components: None	
SARA 313 (40 CFR Part 372):	None above reportable limits		
SARA 311/312:	None		
CERCLA RQ: N/A	OZONE DEPLETING CHEMICALS: None		
TSCA REGULATORY:	This material or its components are listed in the TSCA inventory.		
RCRA Hazard class: N/A			
Canadian Regulations:	DSL: All components are listed. (See Section 3)		
WHMIS: CLASS B-2:	Not Controlled.		

16. Other information

History	
Date of printing:	01-August 2010
Date of issue:	01-August 2010
Date of previous issue:	No previous validation
Version:	1
Prepared by:	
Name & Title	Donald Oldiges, VP of Research & Development

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.