



Conforms to Regulation (EC) No. 1907/2006 - United Kingdom (UK)

SAFETY DATA SHEET

JET-LUBE V-2 Multipurpose Thread Sealant

Product classified as non-azardous according to NOHSC classification

1. Identification of the substance/preparation and of the company/undertaking

Identification of the substance or preparation

Product Name: JET-LUBE V-2 Multipurpose Thread Sealant
Use of the substance/preparation: Thread Lubricant & Sealant
TT-S-1732 SEALING COMPOUND, LEAD FREE, GENERAL PURPOSE

Company/undertaking identification

Manufacturer: Jet-Lube, Inc.
4849 Homestead Rd., Suite 232
Houston, TX 77028
Email: doldiges@jetlube.com USA Coporate phone: (713) 670-5700

Australian Contact: Xtex Pty. Ltd
ABN 40 121 722 236
80 Daly Street
Ascot, WA 6104 1300-00-9839 phone 0437-272-490 mobile

Emergency telephone numbers: NHS DIRECT in the UK USA: CHEMTREC: (800) 424-9300
Emergency number: 08454647 Outside US (Chemtrec): (703) 527-3887
Xtex Pty. Ltd 1300-00-XTEX

2. Hazards identification

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification: Not classified
Physical/chemical hazards: Not applicable
Human health hazards: Not applicable
Environmental hazards: Not applicable

See section 11 for more detailed information on health effects and symptoms.

3. Composition /information on ingredients

Substance/preparation:

Preparation

Ingredient name	CAS Number	EC Number	%	Classification
Mixed Resins in 4-hydroxy-4-methylpentan-2-one	Mixture in 123-42-2	Mixture in 204-626-7	19-25	Xi - Irritant, R-36
Castor Oil	8001-79-4	232-293-8	23 - 31	Not classified
Mica	12001-26-2	310-127-6	12 - 14	Not classified
Bentonite	1302-78-9	310-127-6	8 - 9.1	Not classified
Propyl 4-hydroxybenzoate	94-13-3	202-307-7	<1	Not classified
PTFE	9002-84-0	Polymer	<1	Not classified
titanium dioxide	13463-67-7	236-675-5	1.3 - 1.6	Not classified
limestone	1317-65-3	215-279-6	20 - 22	Not classified
Organophyllic clay	68953-58-2	273-219-4	2.05 - 2.30	Not classified

See section 16 for the full test of the R Phrases declared above.

* Occupational Exposure Limit(s), if available, are listed in Section 8

The quantities of potential carcinogenic compounds detected in the oil are below the regulatory levels beyond which listing as carcinogenic material is required.

4. First aid measures

Effects and symptoms

Inhalation: No known significant effects or critical hazards.
Ingestion: No known significant effects or critical hazards.
Skin Contact: No known significant effects or critical hazards.
Eye contact: No known significant effects or critical hazards.

First aid measures

Inhalation: Inhalation is unlikely due to the paste nature of the product. In the event of inhalation clear air passage. If respiratory difficulty continues seek medical attention immediately.

Ingestion: Wash out mouth with water. If material has been swallowed, do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Obtain medical attention if symptoms occur. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Skin contact: Wash with soap and water. Remove contaminated clothing and shoes. Obtain medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

SAFETY DATA SHEET

JET-LUBE V-2 Multipurpose Thread Sealant

Product classified as non-azardous according to NOHSC classification

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

Extinguishing media: Use an extinguishing agent suitable for the surrounding fire.
Special exposures hazards: No specific hazard.
Hazardous thermal decomposition products: These products are carbon oxides (CO, CO₂), sulphur oxides (SO₂, SO₃, etc.), nitrogen oxides (NO₂, NO₃, etc.) some metallic or mineral oxides and halogenated gases which may be toxic or corrosive.
Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions: None required although persons with hypersensitive skin should use suitable protective equipment.
Environmental precautions: Although expected to biodegrade to nonhazardous by-products, avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up: Contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal.

7. Handling and storage

Handling: Wash thoroughly after handling.
Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area.
Packaging materials
Recommended: Use original container.
Specific uses: Not available.

8. Exposure controls/personal protection

<u>Ingredient Name:</u>	<u>Occupational exposure limits</u>
potassium aluminum silicates	EH40-WEL (United Kingdom (UK), 9/2006) TWA: 10 mg/m ³ , 8 hour/hours. Form: Inhalable fraction
Titanium dioxide	TWA: 0,8 mg/m ³ , 8 hour/hours. Form: Respirable fraction EH40-WEL (United Kingdom (UK), 9/2006) TWA: 10 mg/m ³ , 8 hours. Form: Inhalable fraction
limestone	TWA: 4 mg/m ³ , 8 hours. Form: Respirable fraction EH40-WEL (United Kingdom (UK), 9/2006) TWA: 10 mg/m ³ , 8 hour/hours. Form: Inhalable fraction STEL: 4 mg/m ³ , 15 minute/minutes. Form: Respirable fraction

Exposure controls
Occupational exposure controls: None needed under most circumstances.
Respiratory protection: No respiratory equipment is required for normal use.
Hand protection: None required unless persons have hypersensitive skin.
Eye protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin protection: None required unless persons have hypersensitive skin.

9. Physical and chemical properties

Physical state: Semi-Solid (Gel)
Color: Cream to Beige
Odor: Pungent smell (slight)
pH: Neutral
Boiling point: Not available
Melting point: >149 °C (300 °F)
Flash point: Closed cup: > 113 °C (235 °F)
Flammability (solid, gas): Not applicable
Explosive properties: Not applicable

SAFETY DATA SHEET

JET-LUBE V-2 Multipurpose Thread Sealant

Product classified as non-azardous according to NOHSC classification

Explosive limits:	Lower: 0.9% Upper: 7%
Oxidizing properties:	Not available
Vapor pressure:	<0.01 kPa (<0.08 mm Hg) (at 20°C)
Specific gravity:	Not available
Density:	1.38 g/cm ³
Solubility:	Insoluble in cold water, hot water
Octanol/water partition coefficient:	Not available
Viscosity:	Not available
Volatile Organic Content:	130 - 207 grams/liter
Vapor density:	>5 (Air = 1)
Evaporation rate (butyl acetate = 1):	<0.01 compared with Butyl acetate
Auto-ignition temperature:	>260°C (500°F)

10. Stability and reactivity

Stability:	The product is stable
Conditions to avoid:	Keep away from sources of ignition. Keep away from heat.
Materials to avoid:	Not available
Hazardous Decomposition products:	Some metallic oxides.
Hazardous polymerization:	Not available

11. Toxicological information

Potential acute health effects

Inhalation:	No known significant effects or critical hazards.
Ingestion:	No known significant effects or critical hazards.
Skin contact:	No known significant effects or critical hazards.
Eye contact:	No known significant effects or critical hazards.

Acute toxicity

Ingredient name

Ingredient name	Test	Result	Route	Species
4-hydroxy-4-methylpentan-2-one	LD50	4000 mg/kg	Oral	Rat
4-hydroxy-4-methylpentan-2-one	LC0	1500 ppm -8 hr	Inhalation	Rat
4-hydroxy-4-methylpentan-2-one	LD50	13630 mg/kg bw	Dermal	Rat
Castor Oil	LD50	100000 mg/kg	Oral	Rat
Castor oil				

Castor oil is vegetable-based because it's made from Castor plant (ricinus communis) seeds. It biodegrades quickly and is non-toxic, castor oil is classified by Food and Drug Administration (FDA) as generally recognized as safe and effective for use as a stimulant laxative. The Joint Food and Agriculture Organization (FAO)/World Health Organization (WHO) Expert Committee on Food Additives established an acceptable daily castor oil intake (for man) of 0 to 0.7 mg/kg body weight. Castor oil is hydrolyzed in the small intestine by pancreatic enzymes, leading to the release of glycerol and Ricinoleic Acid, although 3,6-epoxyoctanedioic acid, 3,6-epoxydecanedioic acid, and 3,6-epoxydodecanedioic acid also appear to be metabolites.

titanium dioxide	LD50	10000 mg/kg	Oral	Rat
------------------	------	-------------	------	-----

Potential chronic health effects

Carcinogenicity:	No known significant effects or critical hazards.
------------------	---

California Prop 65:

None

Australian National Health & Safety Commission (NOSC):

None

Mutagenicity:

No known significant effects or critical hazards.

Reproductive toxicity:

No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation:

No known significant effects or critical hazards as high viscosity makes inhalation unlikely.

Ingestion:

No known significant effects or critical hazards as grease results in gastric distress negating bioaccumulation concerns.

Skin:

No known significant effects or critical hazards.

Target organs:

No known significant effects or critical hazards.

Other adverse effects:

Not available

SAFETY DATA SHEET

JET-LUBE V-2 Multipurpose Thread Sealant

Product classified as non-hazardous according to NOHSC classification

12. Ecological information

Ecotoxicity data

Ingredient name	Species	Period	Result
4-hydroxy-4-methylpentan-2-one	Lepomis macrochirus (LC50)	96 hr/hrs	420 mg/l
	Carassius auratus (LC50)	24 hr/hrs	5000 mg/l
	Daphnia magna (EC50)	24 hr/hrs	>9000 mg/l
	Microcystis aeruginosa	8 days	530 mg/l
	Daphnia magna (EC50)	48 hr/hrs	>1000 mg/l
titanium dioxide	Fundulus heteroclitus (LC50)	96 hr/hrs	>1000 mg/l

Other ecological information

Mobility: Not available
Other adverse effects: No known significant effects or critical hazards.

13. Disposal consideration

Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Hazardous waste: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

14. Transport information

Hazchem code 1Z

International transport regulations

Regulatory information	UN Number	Proper shipping name	Class	Packing group	Label	Additional information
US Dept. of Transportation	Not regulated	-	-	-	-	-
ADR/RID Class	Not regulated	-	-	-	-	-
ADNR Class	Not regulated	-	-	-	-	-
IMDG Class	Not regulated	-	-	-	-	-
IATA-DGR Class	Not regulated	-	-	-	-	-
Canada - TDG	Not regulated	-	-	-	-	-
Australia ADG Code	Not regulated	-	-	-	-	Reference SP-AU01

15. Regulatory information

Poison Schedule Not scheduled

EU Regulations

Risk Phrases: This product is not classified according to EU legislation.
Safety Phrases: None appear required
Product use: Classification and labeling have been performed according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and the intended use. Industrial applications.

Other EU regulations

Additional warning phrases:
Restrictions on the marketing and use directive:

Not applicable.

National regulations United Kingdom (UK)

COSHH: The use of this chemical product must be in compliance with provisions included in COSHH (1999) and COSHH Essentials (1999).

US Regulations:

TSCA: All components are listed. (See Section 3). **TSCA 12B Components:** None

SARA 313 (40 CFR Part 372):

None above reportable limits

SARA 311/312:

None

CERCLA RQ: N/A

OZONE DEPLETING CHEMICALS: None

TSCA REGULATORY: This material or its components are listed in the TSCA inventory.

RCRA Hazard class: N/A

Clean Air Act Sect 112 Hazardous Air Pollutants (HAPs): Not formulated to contain any HAPs.

NSF Food Registered:

Category P-1 NSF Registration File Number: 121265

Volatile Organic Chemicals (VOCs):

0 grams per liter

State Right to Know:

New Jersey: 8001-79-4, 12001-26-2, 1317-65-3, 1302-78-9, 68953-58-2
Pennsylvania: 8001-79-4, 12001-26-2, 1317-65-3, 1302-78-9, 68953-58-2
Massachusetts: 8001-79-4, 12001-26-2, 1317-65-3, 1302-78-9, 68953-58-2
Rhode Island: 8001-79-4, 12001-26-2, 1317-65-3, 1302-78-9, 68953-58-2

Canadian Regulations:

DSL: All components are listed. (See Section 3)

SAFETY DATA SHEET

JET-LUBE V-2 Multipurpose Thread Sealant

Product classified as non-azardous according to NOHSC classification

WHMIS: CLASS B-2: Not regulated

RoHS Compliance

This product is compliant with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003. This product does not contain any of the restricted substances as listed in Article 4(1) of the RoHS Directive.

16. Other information

History

Date of printing: November 21, 2010
Date of issue: November 21, 2010
Date of previous issue: April 15, 2010
Version: 2

Prepared by:



Name & Title

Donald Oldiges, VP of Research & Development

NFPA:	Health: 0	Flammability: 1	Reactivity: 0	
HMIS:	Health: 0	Flammability: 1	Reactivity: 0	PPE: B

Notice to reader:

All practical steps have been taken to ensure this data sheet and the health, safety and environmental information contained in this document is accurate as of the date specified above. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet. You should not use the product other than for the stated application or applications without seeking advice from us. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations in the country of use. Jet-Lube is not responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use have the duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. If this material is printed, circulated, distributed or copied in any manner, it is no to be modified without prior written permission, and further, it is to include the wording of the above disclaimer.