



Conforms to Regulation (EC) No. 1907/2006 - United Kingdom (UK)

**SAFETY DATA SHEET**

**JET-LUBE - WHITE KNIGHT**

Product classified as non-hazardous according to NOHSC classification

**1. Identification of the substance/preparation and of the company/undertaking**

Identification of the substance or preparation

**Product Name:** JET-LUBE - WHITE KNIGHT  
**Use of the substance/preparation:** Anti-Seize Lubricatant (white oil & synthetic based)

Company/undertaking identification

**Manufacturer:** Jet-Lube, Inc.  
4849 Homestead Rd., Suite 232  
Houston, TX 77028  
Email: [doldiges@jetlube.com](mailto:doldiges@jetlube.com) USA Coprorate phone: (713) 670-5700

**Australian Contact:** Xtex Pty. Ltd  
ABN 40 121 722 236  
80 Daly Street  
Ascot, WA 6104 1300-00-9839 phone 0437-272-490 mobile

**Emergency telephone numbers:** NHS DIRECT in the UK USA: CHEMTREC: (800) 424-9300  
Emergency number: 08454647 Outside US (Chemtrec): (703) 527-3887

**2. Hazards identification**

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

**Classification:** Not classified  
**Physical/chemical hazards:** Not applicable  
**Human health hazards:** Not applicable  
**Environmental hazards:** Not applicable

See section 11 for more detailed information on health effects and symptoms.

**3. Composition /information on ingredients**

Substance/preparation:	Preparation			
Ingredient name	CAS Number	EC Number	%	Classification
Lubricating grease (synthetic base)	Mixture	Mixture	43 -48	Not classified
Polybutenes	9003-29-6	Polymer	19 - 21	Not classified
Zinc oxide	1314-13-2	215-222-5	1 - 2	N; R50/53
limestone	1317-65-3	215-279-6	21 - 24	Not classified
talc, not containing asbestiform fibers	14807-96-6	238-877-9	8 - 10	Not classified
PTFE	9002-84-0	Polymer	0.8 - 1.2	Polymer
titanium dioxide	13463-67-7	236-675-5	0 - 1	Not classified
<b>The fluids and additives do not require carcinogic listing.</b>				
<b>See section 16 for the full test of the R Phrases declared above.</b>				

\* Occupational Exposure Limit(s), if available, are listed in Section 8

The quantities of potential carcinogenic compounds detected in the oil are below the regulatory levels beyond which listing as carcinogenic material is required.

**4. First aid measures**

Effects and symptoms

**Inhalation:** No known significant effects or critical hazards.  
**Ingestion:** No known significant effects or critical hazards.  
**Skin Contact:** No known significant effects or critical hazards.  
**Eye contact:** No known significant effects or critical hazards.

First aid measures

**Inhalation:** Inhalation is unlikely due to the paste nature of the product. In the event of inhalation clear air passage. If respiratory difficulty continues seek medical attention immediately.

**Ingestion:** Wash out mouth with water. If material has been swallowed, do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Obtain medical attention if symptoms occur. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

**Skin contact:** Wash with soap and water. Remove contaminated clothing and shoes. Obtain medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

See section 11 for more detailed information on health effects and symptoms.

## JET-LUBE - WHITE KNIGHT

### 5. Fire-fighting measures

<b>Extinguishing media:</b>	Use an extinguishing agent suitable for the surrounding fire.
<b>Special exposures hazards:</b>	No specific hazard.
<b>Hazardous thermal decomposition products:</b>	These products are carbon oxides (CO, CO <sub>2</sub> ). Some metallic and mineral oxides.
<b>Special protective equipment for fire-fighters:</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### 6. Accidental release measures

<b>Personal precautions:</b>	None required although persons with hypersensitive skin should use suitable protective equipment.
<b>Environmental precautions:</b>	Although expected to biodegrade to nonhazardous by-products, avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
<b>Methods for cleaning up:</b>	Contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal.

### 7. Handling and storage

<b>Handling:</b>	Wash thoroughly after handling.
<b>Storage:</b>	Keep container tightly closed. Keep container in a cool, well-ventilated area.
<b>Packaging materials</b>	
<b>Recommended:</b>	Use original container.
<b>Specific uses:</b>	Not available.

### 8. Exposure controls/personal protection

<u>Ingredient Name:</u>	<u>Occupational exposure limits</u>
Zinc oxide	<b>OSHA (USA)</b> TWA: 5 mg/m <sup>3</sup> 65534 times per shift, 8 hour/hours. Form: Inhalable fraction TLV: 2 mg/m <sup>3</sup> , 8 hour/hours. Form: Respirable fraction STEL: 10 mg/M3, Form: Respirable fraction
limestone	<b>EH40-WEL (United Kingdom (UK), 9/2006)</b> TWA: 10 mg/m <sup>3</sup> 65534 times per shift, 8 hour/hours. Form: Inhalable fraction STEL: 4 mg/m <sup>3</sup> 65534 times per shift, 15 minute/minutes. Form: Respirable fraction
PTFE	<b>EH40-WEL (United Kingdom (UK), 9/2006)</b> TWA: 10 mg/m <sup>3</sup> 65534 times per shift, 8 hour/hours. Form: Inhalable fraction PEL: 4 mg/m <sup>3</sup> 65534 times per shift, 8 hour/hours. Form: Respirable fraction
Talc As dust	<b>EH40-WEL (United Kingdom (UK), 9/2006)</b> TWA: 1 mg/m <sup>3</sup> 65534 times per shift, 8 hour/hours. Form: Respirable fraction
titanium dioxide	<b>EH40-WEL (United Kingdom (UK), 9/2006)</b> TWA: 10 mg/m <sup>3</sup> 65534 times per shift, 8 hour/hours. Form: Inhalable fraction TWA: 4 mg/m <sup>3</sup> 65534 times per shift, 8 hour/hours. Form: Respirable fraction

<b>Exposure controls</b>	
<b>Occupational exposure controls:</b>	None needed under most circumstances.
<b>Respiratory protection:</b>	No respiratory equipment is required for normal use.
<b>Hand protection:</b>	None required unless persons have hypersensitive skin.
<b>Eye protection:</b>	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
<b>Skin protection:</b>	None required unless persons have hypersensitive skin.

### 9. Physical and chemical properties

<b>Physical state:</b>	Liquid (grease)
<b>Color:</b>	White to ivory
<b>Odor:</b>	Nil
<b>pH:</b>	Neutral
<b>Boiling point:</b>	<316°C (600.8°F)
<b>Melting point:</b>	>260°C (500°F)
<b>Flash point:</b>	Open cup: > 221°C (429.8°F)
<b>Flammability (solid, gas):</b>	Not applicable
<b>Explosive properties:</b>	Not applicable
<b>Explosive limits:</b>	Lower: 0.9% Upper: 7%
<b>Oxidizing properties:</b>	Not available
<b>Vapor pressure:</b>	<0.01 kPa (<0.08 mm Hg) (at 20°C)
<b>Specific gravity:</b>	Not available
<b>Density:</b>	0.95 g/cm <sup>3</sup>
<b>Solubility:</b>	Insoluble in cold water, hot water
<b>Octanol/water partition coefficient:</b>	Not available
<b>Viscosity:</b>	Not available
<b>Vapor density:</b>	>5 (Air = 1)
<b>Evaporation rate (butyl acetate = 1):</b>	<0.01 compared with Butyl acetate
<b>Auto-ignition temperature:</b>	>260°C (500°F)
<b>Date of issue:</b>	14-August-2010

## JET-LUBE - WHITE KNIGHT

### 10. Stability and reactivity

<b>Stability:</b>	The product is stable
<b>Conditions to avoid:</b>	Keep away from sources of ignition. Keep away from heat.
<b>Materials to avoid:</b>	Not available
<b>Hazardous Decomposition products:</b>	These products are carbon oxides (CO, CO2).
<b>Hazardous polymerization:</b>	Will not occur.

### 11. Toxicological information

#### Potential acute health effects

<b>Inhalation:</b>	No known significant effects or critical hazards as high viscosity makes inhalation unlikely.
<b>Ingestion:</b>	No known significant effects or critical hazards as grease results in gastric distress negating bioaccumulation concerns.
<b>Skin contact:</b>	No known significant effects or critical hazards.
<b>Eye contact:</b>	No known significant effects or critical hazards.

<u>Ingredient name</u>	<u>Species</u>	<u>Period</u>	<u>Result</u>
Talc	LD50	>5000 mk/kg bw	Oral Rat
	LD50, 4 hours	0.4 mg/l	Inhalation Rat
Zinc Oxide	LD50	>5000 mk/kg bw	Oral Rat
	LD50, 4 hours	0.4 mg/l	Inhalation Rat
Titanium Dioxide	LD50	>10000 mk/kg bw	Oral Rat
	LD50, 4 hours	6.82 mg/l	Inhalation Rat
	LD50	>10000 mg/kg bw	Dermal Rabbit

#### Potential chronic health effects

<b>Carcinogenicity:</b>	No known significant effects or critical hazards.
<b>Mutagenicity:</b>	No known significant effects or critical hazards.
<b>Reproductive toxicity:</b>	No known significant effects or critical hazards.
<b>Over-exposure signs/symptoms</b>	
<b>Inhalation:</b>	No known significant effects or critical hazards.
<b>Ingestion:</b>	No known significant effects or critical hazards.
<b>Skin:</b>	No known significant effects or critical hazards.
<b>Target organs:</b>	No known significant effects or critical hazards.
<b>Other adverse effects:</b>	Not available

### 12. Ecological information

#### Ecotoxicity data

talc, not containing asbestiform fibers	Fish (LC50)	96 hr/hrs	>1800 mg/l
	Algae (EC50)	72 hr/hrs	>1000 mg/l
Zinc Oxide	Fish , Cyprins carpo	LD0 52 hr/hrs	228 - 262 mg/l
titanium dioxide	Daphnia magna (EC50)	48 hr/hrs	>1000 mg/l
	Fundulus heteroclitus (LC50)	96 hr/hrs	>1000 mg/l

#### Other ecological information

##### Persistence/degradability:

<u>Ingredient name</u>	<u>BOD</u>	<u>COD</u>	<u>ThOD</u>
Lubricating grease,synthetic based	Not available	Not available	2.99 mg O <sub>2</sub> /mg

<u>Ingredient name</u>	<u>Aquatic half-life</u>	<u>Photolysis</u>	<u>Biodegradability</u>
Lubricating grease,synthetic based	Not available	Not available	15 % mineralisation in 28 days (BODIS)

#### Other ecological information

<b>Mobility:</b>	Not available
<b>Other adverse effects:</b>	No known significant effects or critical hazards.

### 13. Disposal consideration

#### Methods of disposal:

The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

<b>Hazardous waste:</b>	Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
-------------------------	---

### 14. Transport information

#### Hazchem code 1Z

#### International transport regulations

Regulatory information	UN Number	Proper shipping name	Class	Packing group	Label	Additional information
ADR/RID Class	Not regulated	-	-	-	-	-
ADNR Class	Not regulated	-	-	-	-	-

## JET-LUBE - WHITE KNIGHT

<b>IMDG Class</b>	Not regulated	-	-	-	-	-
<b>IATA-DGR Class</b>	Not regulated	-	-	-	-	-
<b>Australia ADG Code</b>	Not regulated	-	-	-	-	Reference SP-AU01

### 15. Regulatory information

<b>Poison Schedule</b>	Not scheduled	
<b>EU Regulations</b>	This product is not classified according to EU legislation.	
<b>Risk Phrases:</b>	S20/21 - When using do not eat, drink or smoke	
<b>Safety Phrases:</b>	S28 - After contact with skin, wash immediately with plenty of water.	
	S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.	
	S61 - Avoid release to the environment. Refer to special instructions/Safety data sheets.	
<b>Product use:</b>	Classification and labeling have been performed according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and the intended use. Industrial applications.	
<b>Other EU regulations</b>	Safety data sheet available for professional user on request.	
<b>Additional warning phrases:</b>	Not applicable.	
<b>Restrictions on the marketing and use directive:</b>	Not applicable.	
<b>National regulations United Kingdom (UK)</b>	The use of this chemical product must be in compliance with provisions included in COSHH (1999) and COSHH Essentials (1999).	
<b>COSHH:</b>	The use of this chemical product must be in compliance with provisions included in COSHH (1999) and COSHH Essentials (1999).	
<b>US Regulations:</b>	<b>TSCA:</b> All components are listed. (See Section 3).	<b>TSCA 12B Components:</b> None
<b>SARA 313 (40 CFR Part 372):</b>	None above reportable limits	
<b>SARA 311/312:</b>	None	
<b>CERCLA RQ:</b> N/A	<b>OZONE DEPLETING CHEMICALS:</b> None	
<b>TSCA REGULATORY:</b> This material or its components are listed in the TSCA inventory.		
<b>RCRA Hazard class:</b> N/A	Category H-1 NSF Registration File Number: 048235	
<b>NSF Food Registered:</b>	<b>DSL:</b> All components are listed. (See Section 3)	
<b>Canadian Regulations:</b>	<b>WHMIS: CLASS B-2:</b> Not Controlled.	
<b>AUSTRALIA AQIS:</b>	Incidental Food contact approved through June 29, 2012	

### 16. Other information

<b>Full text of R phrases referred to in sections 2 and 3 - United Kingdom (UK):</b>	R Phrases: R22 Harmful if swallowed
<b>Full text of classifications referred to in sections 2 and 3 - United Kingdom (UK):</b>	
<b>History</b>	
<b>Date of printing:</b>	August 14, 2010
<b>Date of issue:</b>	August 14, 2010
<b>Date of previous issue:</b>	No previous validation
<b>Version:</b>	1

**Prepared by:**



**Name & Title**

Donald Oldiges, VP of Research & Development

**Notice to reader:**

All practical steps have been taken to ensure this data sheet and the health, safety and environmental information contained in this document is accurate as of the date specified above. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet. You should not use the product other than for the stated application or applications without seeking advice from us. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations in the country of use. Jet-Lube is not responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use have the duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

If this material is printed, circulated, distributed or copied in any manner, it is no to be modified without prior written permission, and further, it is to include the wording of the above disclaimer.